

EK 26 Ice Cream and Frozen Products



Derby Product Line for Ice-cream and Frozen Products

When you talk about Derby, you are talking about one of the most traditional brands in the commercial refrigeration market Worldwide.

This line is composed by Upright, Horizontal and Impulse models with a freezer capacity between -7°C and -25°C, ideal for storage of ice-cream, sorbet and frozen products in general.

Find out about Derby's design and technology and ensure your products always enjoy the perfect exposure at the point of sale.

Derby: tradition of innovation, always offering the best design in quality, finishing, and performance.



- Adjustable thermostat
- Aluminium inner liner
- Branding*

Custom graphics can also be added. The box frame as well as the frames of the glass lids are available in different colours.

- Castors Produce smooth and more controllable movement.
- Control panel*
- Flat sliding glass lids
- Internal light* Allowing good product visibility.
- Lid lock* Avoids undesirable openings and secures the products inside.
- Thermometer* Informs you about internal temperature.
- Wide assortment of baskets* Baskets with dividers allow good arrangement of the products.





FLAT SLIDING GLASS LIDS

SERVE OVER GLASS COUNTER*





CASTORS



BRANDING*

* Options

LINER



www.derby.dk www.metalfriosolutions.com



DIMENSIONS	
Capacity	
Gross (liters / cubic feet)	213 / 7.52
Net (liters / cubic feet)	190 / 6.70
External dimensions	
Width (mm / inches)	750 / 29.52
Height (mm / inches)	895 / 35.23
Depth (mm / inches)	650 / 25.59
Internal dimensions	
Width (mm / inches)	580 / 22.83
Height* (mm / inches)	650 / 25.59
Depth (mm / inches)	530 / 20.86
Weight	
Net (kg)	44.5
* Not considered the compartment for the compressor.	
TRANSPORTATION	
Packaging	
Width (mm / inches)	760 / 29.92
Height (mm / inches)	960 / 37.79
Depth (mm / inches)	750 / 29.52
Loading container	
20 feet	-
40 feet	-
Piling up	
Maximum	-
Weight	
Weight Gross (kg)	
CHOSS (KO)	-



EK 26



TEMPERATURE RANGE	
Temperature range (°C) Temperature range (°F) Climate class	-11 to -22 12.2 to - 7.6 4 & 4+
TECHNOLOGY	
Type of evaporator Type of refrigeration agent (gas)	Aluminium R134A
POWER	
Voltage / Frequency Voltage / Frequency Voltage / Frequency Voltage / Frequency Power (W) Energy consumption (KWh/24h)	120V - 60Hz 220V - 60Hz 230V - 50Hz 204

				-
Sidewall		Front		
Width (mm)	636	Width (n	nm)	800
Height (mm)	799	Height (mm)	799
OPTIONS				
Custom Graphics	• Lid L	ock	Contro	l Pannel

www.derby.dk www.metalfriosolutions.com Derby