

Chest Freezer



Chest Freezer Derby

Versatile, practical, good-looking and efficient: all you expect from a Chest Freezer

The superior quality of the Derby brand can also be proved through its Chest Freezer line. They are resistant and have great performance, developed to meet all the needs of traders.

With maximum refrigeration expertise and design tradition, Derby can offer an incredible range of sizes and lid opening options that fit any point of sale. That is why it will always be the best option of Chest Freezer for your establishment.



Adjustable thermostat

- Castors* Produce smooth and more controllable movement.
- Front pannel* For easy temperature read-out and control lamp.
- Highly hygienic
- Ideal storage for fast food outlets
- Integrated handle
- Internal light* Allowing good product visibility.
- Maximum storage space
- Stainless steel available*
- The perfect storage freezer
- Thermometer* Informs you about internal temperature.
- Wide assortment of baskets* Baskets with dividers allow good arrangement of the products.





HINGED LID

INTEGRATED HANDLE



* Options



www.derby.dk www.metalfriosolutions.com



DIMENSIONS	
Capacity	
Gross (liters / cubic feet)	556 / 19.63
Net (liters / cubic feet)	530/18.71
External dimensions	
Width (mm / inches)	1770 / 69.68
Height (mm / inches)	855 / 33.66
Depth (mm / inches)	730 / 28.74
Internal dimensions	
Width (mm / inches)	1580 / 62.20
Height* (mm / inches)	680 / 26.77
Depth (mm / inches)	530 / 20.86
Weight	
Net (kg)	77
* Not considered the compartment for the compressor.	
TRANSPORTATION	

Packaging

Width (mm / inches)	1750 / 68.89
Height (mm / inches)	960 / 37.79
Depth (mm / inches)	750 / 29.52

Loading container

20 feet		
40 feet		
Piling up		
Maximum		
Weight		

A Metalfrio Solutions

Gross (kg)



F 68

5 10 **REAL SIZE** 1650mm 64.9 in

		-	
TEMPERATURE RANGE		(≝∥°C	
		-11 to -22	
Temperature range (°C) Temperature range (°F)		-11 to -22 12.2 to -7.6	
Climate class		4 & 4+	
		4041	
TECHNOLOGY)
-			
Type of evaporator	-)	Aluminium	
Type of refrigeration agent (ga	5)	R134A	
POWER			
Voltage / Frequency		230V / 50Hz	
Voltage / Frequency		-	
Voltage / Frequency		-	
Power (W)		168	
Energy consumption (KWh/24h	1)	-	
MERCHANDISING AREA) Derby	
			/
Sidewall	Front		
Width (mm) -	Width (mm)	-	
Height (mm) -	Height (mm)	-	

OPTIONS

• Removable Baskets • Internal Light Control Pannel

Quick Freezing

 Castor • Thermometer

www.derby.dk www.metalfriosolutions.com

